



Sum of WEIGHT				GRADE													Quick Fraction	
OTH PROC	SHAPE	SIZE	LENGTH (IN)	1008	1018	1045	1117	1141	1144	1215	12L14	1541	4140	10B21	4150	8620		
(blank)	RND	0.1560	144	2,874														5/32
		0.2835	144		2,044													19/67
		0.3060	47.875		886													15/49
		0.3120	144							2,202								5/16
		0.3300	240								4,476							1/3
		0.3470	144								5,492							17/49
		0.3750	144		1,956													3/8
			240		1,956													
		0.3760	240		2,574													3/8
		0.4000	144								356							2/5
		0.4360	144											1,998				17/39
		0.4375	18.75	802														7/16
			144							2,626	4,026							
		0.4440	120		2,086													4/9
		0.4450	144							1,174								4/9
		0.4975	144		3,054													1/2
		0.5000	144	2,556	2,054						8,200							1/2
			192.625			1,474												
			240		2,068													
		0.5060	144								1,981							42/83
		0.5080	182							30,772								32/63
		0.5100	288			4,296												25/49
		0.5485	144								1,504							17/31
		0.5510	144								2,981							27/49
		0.6230	19.25		2,456													38/61
		0.6240	144							661								5/8
		0.6250	240		20,910													5/8
		0.6260	144								11,928							5/8
		0.6430	144		17,975													9/14
		0.6570	144		3,279													23/35
			168		644													
		0.6610	152		12,838													39/59
		0.6750	144		1,021													27/40
		0.6820	144		4,151													15/22
		0.6875	144							1,780								11/16
		0.7090	144								594							39/55
		0.7210	144									12,756						31/43
		0.7400	144							3,124								37/50
		0.7470	168			2,230												62/83
		0.7500	13.94		9,377													3/4
			141		531													
			144		62,800					13,190	23,490							
			225			3,246												
			240		33,210													
			244		2,719													
			245		6,499													
		0.7510	240			3,970												3/4
		0.7518	144			4,040												3/4
		0.7519	144			3,990												3/4
		0.7872	144			1,770												37/47
		0.7874	144								3,266							37/47
		0.7880	230		4,218													26/33
		0.8240	70.5		1,422													14/17
		0.8750	144		12,926					4,848	31,010							7/8
			153		544													
			240		17,108					4,382								
		0.8755	144		3,970													7/8
		0.8830	144						1,405									83/94
		0.8880	224			1,054												8/9
		0.9000	144		1,246													9/10
		0.9150	144		1,098													43/47
		0.9340	144		6,598													85/91
		0.9360	144										1,564					44/47
		0.9375	144								2,204							15/16
		0.9400	144		3,544													47/50
		0.9490	24		2,304													93/98
		0.9670	240		5,630													88/91
		0.9840	144								1,023							61/62
		1.0000	24		1,008													1
			144		75,164					24,028	39,536							
			208			1,338												
			240		37,663													
		1.0070	144				2,760											1
		1.0320	144							1,060	1,196							1 1/31
		1.1120	144		7,206													1 1/9
		1.1250	144		2,634					846	29,963							1 1/8
			240		3,788	604												
		1.1262	256		24,950													1 1/8
		1.1340	229		2,238													1 13/97
		1.1350	144							364								1 5/37
		1.1360	144		4,864													1 3/22





Sum of WEIGHT		SIZE	LENGTH (IN)	GRADE													Quick Fraction				
OTH PROC	SHAPE			1008	1018	1045	1117	1141	1144	1215	12L14	1541	4140	10B21	4150	8620					
		1.7520	240			5,230															1 3/4
		1.7523	144			2,442															1 3/4
		1.8125	144								2,624										113/16
		1.8620	144		666																125/29
		1.8750	144		1,584					19,540											1 7/8
		1.8780	144											2,226							136/41
		1.9375	240			4,004															115/16
			293		974																
		1.9685	144		2,354																192/95
		1.9690	144			2,978															194/97
		1.9920	144											2,546							2
		1.9990	144		773																2
		2.0000	144							47,393	35,038										2
			240		21,800	18,812															
		2.0330	288															3,700			2 3/91
		2.1220	294									1,168									2 5/41
		2.1250	48									4,606									2 1/8
			144									24,244									
			240			3,146															
			293									3,420									
		2.1268	245			1,478															2 9/71
		2.1870	240		1,536																2 3/16
		2.1875	144		3,540																2 3/16
		2.1942	240			2,048															2 7/36
		2.2446	240		1,082																211/45
		2.2500	0		4,056																2 1/4
			48							1,620											
			144		24,824	6,500				23,970	44,018										
			240			1,084															
		2.2516	240		2,170																2 1/4
		2.2551	144									1,630									2 25/98
		2.3010	144		3,060																228/93
		2.3125	144									1,026									2 5/16
		2.3438	144								2,632										211/32
		2.3750	144		4,352						4,150	9,016									2 3/8
		2.4350	240		670																210/23
		2.4375	240		634	3,494															2 7/16
		2.4980	144		1,799																2 1/2
		2.5000	144		15,286					27,405	17,197										2 1/2
			240			28,396															
		2.5001	240		2,676																2 1/2
		2.5020	144		1,608																2 1/2
		2.5030	240			4,020															2 1/2
		2.5080	144			4,060															232/63
		2.5600	144									8,544									214/25
		2.6250	144									1,322									2 5/8
		2.7480	144		1,458																2 3/4
		2.7500	144							26,818											2 3/4
			240			7,272															
		2.8125	144									2,526									213/16
		2.8710	144									2,108									227/31
		2.8759	150			826															2 7/8
		2.9375	96		3,042																215/16
			240			1,848															
		2.9901	144								1,720										3
		3.0000	144			18,524				39,248	6,870										3
			240		35,394	2,410															
			255							1,028											
		3.0008	240			7,239															3
		3.0020	144			4,340															3
		3.0021	240			2,894															3
		3.0023	240			1,924															3
		3.0028	240			2,880															3
		3.0029	240			4,334															3
		3.2450	144								3,104										312/49
		3.2500	144		1,360																3 1/4
		3.2511	240			1,132															3 1/4
		3.2540	144		5,420																316/63
		3.3125	144								5,624										3 5/16
		3.4940	144		2,364																341/83
		3.4950	144							2,346											349/99
		3.5000	144		20,489					43,589	13,333										3 1/2
			240		44,644																
		3.5010	252		8,274																3 1/2
		3.5013	252		4,133																3 1/2
		3.5018	240		3,934																3 1/2
		3.5025	144							5,900											3 1/2
		3.5030	252		1,374																3 1/2
		3.5080	252		3,432																332/63
		<b>HEX</b>	0.3750	130	5,605																3/8
			0.5625	144							10,660										9/16

\*\*Please inquire for Eddy Current Tested material



Sum of WEIGHT				GRADE_												
OTH PROC	SHAPE	SIZE	LENGTH (IN)	1008	1018	1045	1117	1141	1144	1215	12L14	1541	4140	10B21	4150	8620
		0.7470	144							7,406						
		0.8750	144								2,471					
		0.9380	144								2,794					
		1.1250	144							4,616						
			240							4,436						
Chamfer	RND	1.2500	144										4,042			
		2.0000	144							7,428						
		2.3750	144							4,144						
Saw Cut	RND	1.5000	144			9,738										
			240		3,854											

Quick Fraction
62/83
7/8
15/16
1 1/8
1 1/4
2
2 3/8
1 1/2